ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

ne				Date of birth		
Age	Grade So	chool		Sport(s)		
edicines and Allergies:	Please list all of the prescription and over	er-the-co	unter m	nedicines and supplements (herbal and nutritional) that you are currently	taking	
you have any allergies? Medicines	☐ Yes ☐ No If yes, please id☐ Pollens	entify spe	ecific al	lergy below. □ Food □ Stinging Insects		
lain "Yes" answers belov	v. Circle questions you don't know the a	nswers t	0.			
NERAL QUESTIONS		Yes	No	MEDICAL QUESTIONS	Yes	
	restricted your participation in sports for			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
below: ☐ Asthma ☐ A	nedical conditions? If so, please identify nemia Diabetes Infections			27. Have you ever used an inhaler or taken asthma medicine? 28. Is there anyone in your family who has asthma?		
Other:	11: " 1 " 10			29. Were you born without or are you missing a kidney, an eye, a testicle		
Have you ever spent the nig				(males), your spleen, or any other organ?		+
Have you ever had surgery? ART HEALTH QUESTIONS A		Yes	No	30. Do you have groin pain or a painful bulge or hernia in the groin area? 31. Have you had infectious mononucleosis (mono) within the last month?	-	+
	r nearly passed out DURING or	163	.10	32. Do you have any rashes, pressure sores, or other skin problems?		t
AFTER exercise?	y p			33. Have you had a herpes or MRSA skin infection?		t
,	ort, pain, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		T
chest during exercise?	or skip beats (irregular beats) during exercise)		35. Have you ever had a hit or blow to the head that caused confusion,		
	that you have any heart problems? If so,	-		prolonged headache, or memory problems?		+
check all that apply:				36. Do you have a history of seizure disorder? 37. Do you have headaches with exercise?		+
☐ High blood pressure☐ High cholesterol	☐ A heart murmur☐ A heart infection			38. Have you ever had numbness, tingling, or weakness in your arms or		+
☐ Kawasaki disease	Other:			legs after being hit or falling?		
Has a doctor ever ordered a echocardiogram)	a test for your heart? (For example, ECG/EKG,			39. Have you ever been unable to move your arms or legs after being hit or falling?		
	eel more short of breath than expected			40. Have you ever become ill while exercising in the heat?		
during exercise?	plained esimuse?			41. Do you get frequent muscle cramps when exercising?		+
Have you ever had an unex	ort of breath more quickly than your friends			42. Do you or someone in your family have sickle cell trait or disease? 43. Have you had any problems with your eyes or vision?		╀
during exercise?	or or breath more quickly than your menus			44. Have you had any eye injuries?		+
ART HEALTH QUESTIONS A	BOUT YOUR FAMILY	Yes	No	45. Do you wear glasses or contact lenses?		
unexpected or unexplained	relative died of heart problems or had an sudden death before age 50 (including accident, or sudden infant death syndrome)?			46. Do you wear protective eyewear, such as goggles or a face shield? 47. Do you worry about your weight?		ļ
	have hypertrophic cardiomyopathy, Marfan			48. Are you trying to or has anyone recommended that you gain or		$^{+}$
syndrome, arrhythmogenic	right ventricular cardiomyopathy, long QT			lose weight?		
syndrome, short QT syndrome polymorphic ventricular tachy	me, Brugada syndrome, or catecholaminergio hycardia?			49. Are you on a special diet or do you avoid certain types of foods?		
	have a heart problem, pacemaker, or			50. Have you ever had an eating disorder?		1
implanted defibrillator?				51. Do you have any concerns that you would like to discuss with a doctor?		-
Has anyone in your family has eizures, or near drowning?	nad unexplained fainting, unexplained			FEMALES ONLY 52. Have you ever had a menstrual period?		H
NE AND JOINT QUESTIONS		Yes	No	53. How old were you when you had your first menstrual period?		
Have you ever had an injury	to a bone, muscle, ligament, or tendon			54. How many periods have you had in the last 12 months?		
that caused you to miss a p	ractice or a game? ken or fractured bones or dislocated joints?			Explain "yes" answers here		
, ,	that required x-rays, MRI, CT scan,					
Have you ever had a stress						
Have you ever been told that	at you have or have you had an x-ray for neck stability? (Down syndrome or dwarfism)					
Do you regularly use a brac	e, orthotics, or other assistive device?					
Do you have a bone, muscle	e, or joint injury that bothers you?					
Do any of your joints becom	ne painful, swollen, feel warm, or look red?					_
	juvenile arthritis or connective tissue disease					

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503

9-2681/0410

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Ex	am					
Name				Date of bir	th	
	Ago	Grade	School			
Sex	Age	Grade	Scilooi	Sport(s)		
1. Type o	of disability					
2. Date o	of disability					
3. Classit	ification (if available)					
4. Cause	of disability (birth, d	lisease, accident/trauma, other)				
5. List th	ne sports you are inte	rested in playing				
					Yes	No
6. Do you	u regularly use a bra	ce, assistive device, or prosthet	ic?			
		ace or assistive device for sports				
		ressure sores, or any other skin	problems?			
		s? Do you use a hearing aid?				
	u have a visual impa					
		vices for bowel or bladder funct	ion?			
		scomfort when urinating?				
_	you had autonomic d					
			hermia) or cold-related (hypothermia) illne	SS?		
	u have muscle spasti		u madication?			
		ures that cannot be controlled b	y medication?			
Explain "ye	es" answers here					
Please indi	icate if you have ev	er had any of the following.				
					Yes	No
Atlantoaxia	al instability					
1						
X-ray evalu	uation for atlantoaxia	al instability				
	uation for atlantoaxia I joints (more than on					
	l joints (more than on					
Dislocated	l joints (more than on ding					
Dislocated Easy bleed	l joints (more than on ding					
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia	d joints (more than on ding spleen a or osteoporosis					
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia	d joints (more than on ding spleen a or osteoporosis controlling bowel					
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder	16)				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness Weakness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or s in arms or hands in legs or feet	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Retent cha Explain "ye	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or sor tingling in legs or si in arms or hands in legs or feet ange in coordination ange in ability to wal da rgy	or hands r feet k				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Retent cha Explain "ye	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or sor tingling in legs or si in arms or hands in legs or feet ange in coordination ange in ability to wal da rgy	or hands r feet k	rs to the above questions are complete	and correct.		

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM Name Date of birth **PHYSICIAN REMINDERS** 1. Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? • Do you feel safe at your home or residence? • Have you ever tried cigarettes, chewing tobacco, snuff, or dip? • During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any other performance supplement? Have you ever taken any supplements to help you gain or lose weight or improve your performance? • Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5-14). **EXAMINATION** Height Weight □ Male □ Female BP Pulse Vision R 20/ L 20/ Corrected D Y \square N MEDICAL NORMAL ABNORMAL FINDINGS · Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat · Pupils equal Hearing Lymph nodes Heart^a Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Pulses · Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b . HSV, lesions suggestive of MRSA, tinea corporis Neurologic o MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee Leg/ankle Foot/toes **Functional** · Duck-walk, single leg hop ^aConsider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. ^bConsider GU exam if in private setting. Having third party present is recommended.
^cConsider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. ☐ Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for _ □ Not cleared □ Pending further evaluation □ For any sports □ For certain sports _ Recommendations I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/quardians). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)__ Date of exam

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503
9-2681/0410

Phone _

Address

Signature of physician, APN, PA

■ PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

Name	Sex 🗆 M 🗆 F Age Date of birth
☐ Cleared for all sports without restriction	
$\hfill\Box$ Cleared for all sports without restriction with recommendations for further evaluations for further evaluations and the sports without restriction with recommendations for further evaluations.	aluation or treatment for
□ Not cleared	
☐ Pending further evaluation	
☐ For any sports	
☐ For certain sports	
Reason	
Recommendations	
EMERGENCY INFORMATION	
Allergies	
Other information	
HCP OFFICE STAMP	SCHOOL PHYSICIAN:
I OTTIGE STAIN	
	Reviewed on(Date)
	Approved Not Approved
	Signature:
	articipation physical evaluation. The athlete does not present apparent as outlined above. A copy of the physical exam is on record in my office
and can be made available to the school at the request of the paren	nts. If conditions arise after the athlete has been cleared for participation,
the physician may rescind the clearance until the problem is resolv (and parents/guardians).	ed and the potential consequences are completely explained to the athle
Name of physician, advanced practice nurse (APN), physician assistant (PA)) Date
	Phone
Signature of physician, APN, PA	
Completed Cardiac Assessment Professional Development Module	
DateSignature	

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

New Jersey Department of Health MINIMUM IMMUNIZATION REQUIREMENTS FOR SCHOOL ATTENDANCE IN NEW JERSEY N.J.A.C. 8:57-4: IMMUNIZATION OF PUPILS IN SCHOOL

Disease(s)	Meets Immunization Requirements	Comments
DTaP//DTP	Age 1-6 years: 4 doses, with one dose given on or after the 4 th birthday, OR any 5 doses. Age 7-9 years: 3 doses of Td or any previously administered combination of DTP, DTaP, and DT to equal 3 doses	Any child entering pre-school, and/or pre-Kindergarten needs a minimum of 4 doses. A booster dose is needed on or after the fourth birthday, to be in compliance with Kindergarten attendance requirements. Pupils after the seventh birthday should receive adult type Td. Please note: there is no acceptable titer test for pertussis.
Tdap	<u>Grade 6</u> (or comparable age level for special education programs): 1 dose	For pupils entering Grade 6 on or after 9-1-08 and born on or after 1-1-97. A child is not required to have a Tdap dose until FIVE years after the last DTP/DTaP or Td dose.
Polio	Age 1-6 years: 3 doses, with one dose given on or after the 4 th birthday, OR any 4 doses. Age 7 or Older: Any 3 doses	Any child entering pre-school, and/or pre-Kindergarten needs a minimum of 3 doses. A booster dose is needed on or after the fourth birthday to be in compliance with Kindergarten attendance requirements. Either Inactivated polio vaccine (IPV) or oral polio vaccine (OPV) separately or in combination is acceptable. Polio vaccine is not required of pupils 18 years or older.*
Measles	If born before 1-1-90, 1 dose of a live measles- containing vaccine on or after the first birthday. If born on or after 1-1-90, 2 doses of a live measles- containing vaccine on or after the first birthday.	Any child over 15 months of age entering child care, pre-school, or pre-Kindergarten needs a minimum of 1 dose of measles vaccine. Any child entering Kindergarten needs 2 doses. Intervals between first and second measles-containing vaccine doses cannot be less than 1 month. Laboratory evidence of immunity is acceptable.**
Rubella and Mumps	dose of live mumps-containing vaccine on or after the first birthday. dose of live rubella-containing vaccine on or after the first birthday	Any child over 15 months of age entering child care, pre-school, or pre-Kindergarten needs 1 dose of rubella and mumps vaccine. Any child entering Kindergarten needs 1 dose each. Laboratory evidence of immunity is acceptable. **
Varicella	1 dose on or after the first birthday	All children 19 months of age and older enrolled into a child care/pre-school center after 9-1-04 or children born on or after 1-1-98 entering the school for the first time in Kindergarten or Grade 1 need 1 dose of varicella vaccine. Laboratory evidence of immunity, physician's statement or a parental statement of previous varicella disease is acceptable.
Haemophilus influenzae B (Hib)	Age 2-11 Months: 2 doses Age 12-59 Months: 1 dose	Mandated only for children enrolled in child care, pre-school, or pre-Kindergarten: Minimum of 2 doses of Hib-containing vaccine is needed if between the ages of 2-11 months. Minimum of 1 dose of Hib-containing vaccine is needed after the first birthday. ***
Hepatitis B	K-Grade 12: 3 doses or Age 11-15 years: 2 doses	If a child is between 11-15 years of age and has not received 3 prior doses of Hepatitis B then the child is eligible to receive 2-dose Hepatitis B Adolescent formulation.
Pneumococcal	Age 2-11 months: 2 doses Age 12-59 months: 1 dose	Mandated only for children enrolled in child care, pre-school, or pre-Kindergarten: Minimum of 2 doses of pneumococcal conjugate vaccine is needed if between the ages of 2-11 months. Minimum of 1 dose of pneumococcal conjugate vaccine is needed after the first birthday. ***
Meningococcal	Entering Grade 6 (or comparable age level for Special Ed programs): 1 dose	For pupils entering Grade 6 on or after 9-1-08 and born on or after 1-1-97. *** This applies to students when they turn 11 years of age and attending Grade 6.
Influenza	Ages 6-59 Months: 1 dose annually	For children enrolled in child care, pre-school, or pre-Kindergarten on or after 9-1-08. 1 dose to be given between September 1 and December 31 of each year. Students entering school after December 31 up until March 31 must receive 1 dose since it is still flu season during this time period.

New Jersey Department of Health

MINIMUM IMMUNIZATION REQUIREMENTS FOR SCHOOL ATTENDANCE IN NEW JERSEY N.J.A.C. 8:57-4: IMMUNIZATION OF PUPILS IN SCHOOL

* Footnote: The requirement to receive a school entry booster dose of DTP or DTaP after the child's

4th birthday shall not apply to children while in child care centers, preschool or pre-

kindergarten classes or programs.

The requirement to receive a school entry dose of OPV or IPV after the child's 4th birthday shall not apply to children while in child care centers, preschool or pre-

kindergarten classes or programs.

** Footnote: Antibody Titer Law (Holly's Law)—This law specifies that a titer test demonstrating

immunity be accepted in lieu of receiving the second dose of measles-containing vaccine. The tests used to document immunity must be approved by the U.S. Food and Drug Administration (FDA) for this purpose and performed by a laboratory that is CLIA

certified.

*** Footnote: No acceptable immunity tests currently exist for Haemophilus Influenzae type B,

Pneumococcal, and Meningococcal.

Please Note The Following:

The specific vaccines and the number of doses required are intended to establish the minimum vaccine requirements for child-care center, preschool, or school entry and attendance in New Jersey. These intervals are not based on the allotted time to receive vaccinations. The intervals indicate the vaccine doses needed at earliest age at school entry. Additional vaccines, vaccine doses, and proper spacing between vaccine doses are recommended by the Department in accordance with the guidelines of the American Academy of Pediatrics (AAP) and Advisory Committee on Immunization Practices (ACIP), as periodically revised, for optimal protection and additional vaccines or vaccine doses may be administered, although they are not required for school attendance unless otherwise specified.

Serologic evidence of immunity (titer testing) is only accepted as proof of immunity when no vaccination documentation can be provided or prior history is questionable. It cannot be used in lieu of receiving the full recommended vaccinations.

Provisional Admission:

Provisional admission allows a child to enter/attend school after having received a minimum of one dose of each of the required vaccines. Pupils must be actively in the process of completing the series. Pupils <5 years of age, must receive the required vaccines within 17 months in accordance with the ACIP recommended minimum vaccination interval schedule. Pupils 5 years of age and older, must receive the required vaccines within 12 months in accordance with the ACIP recommended minimum vaccination interval schedule.

Grace Periods:

- <u>4-day grace period:</u> All vaccine doses administered less than or equal to four days before either the specified minimum age or dose spacing interval shall be counted as valid and shall not require revaccination in order to enter or remain in a school, pre-school, or child care facility.
- <u>30-day grace period</u>: Those children transferring into a New Jersey school, pre-school, or child care center from out of state/out of country may be allowed a 30-day grace period in order to obtain past immunization documentation before provisional status shall begin.